



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Rocky Mountain Steel Mills
2100 South Freeway
Pueblo, CO 81004

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

Jason Stine, Vice President

Expiry Date: 21 October 2026

Certificate Number: L2402



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Rocky Mountain Steel Mills

2100 South Freeway
Pueblo, CO 81004

Karri Roskam karri.roskam@rockymountainsteelmills.com
719 225 6589

TESTING

ISO/IEC 17025 Accreditation Granted: **21 October 2023**

Certificate Number: **L2402** Certificate Expiry Date: **21 October 2026**

Mechanical Testing

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Rockwell Hardness HRB/HRC	ASTM E18 ASTM A370	Metals	Rockwell Hardness Tester
Brinell Hardness	ASTM E10 ASTM A370	Metals	Brinell Hardness Tester
Ultimate Tensile, Yield, Elongation, and Reduction of Area	ASTM E8 ASTM A370	Metals	Tensile Machine
Decarburization	ASTM E1077	Metals	Microscope
Grain Size	ASTM E112	Metals	Microscope
Inclusion rating	ASTM E45	Metals	Microscope
Jominy	ASTM A255	Metals	Rockwell Hardness HRC

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Combustion Analysis Carbon/Sulfur	ASTM E1019	Metals	CS Analyzer
Optical Emission Spectrometry	ASTM A751 ASTM E415	Metals	Optical Emission Spectrometer



Jason Stine, Vice President

